EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	15	(@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303") and ((mark$4 or flag$4 or omit$4 or skip$5) near5 ((tested) near2 (packet)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 18:29
L4	0	370/241-254.ccls and (@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 18:30
L5	8054	370/241-254.ccls. and (@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 18:30
L6	2405	370/503.ccls. and (@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 18:30
S1	113	(@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303") and ((mark$4 or flag$4) near4 (tested) adj3 (state or condition or packet))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/22 18:58
S2	4	(@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303") and ((mark$4 or flag$4) near4 (tested) adj3 (state or condition or packet) with already)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/22 18:57
S3	4	(@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303") and ((mark$4 or flag$4) near4 (tested) adj3 (state or condition or packet)) and (test$5).ti.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/22 19:01

S4	25	(@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303") and ((mark$4 or flag$4 or omit$4 or skip$5 or memoriz$5 or stor$4) near4 (tested) adj3 (state or condition or packet)) and (test$5).ti.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/22 19:08
S5	21	S4 not S3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/22 19:02
S6	116	(@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303") and ((mark$4 or flag$4 or omit$4 or skip$5) near4 (tested) adj3 (state or condition or packet))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/22 19:09
S7	0	(@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303") and ((mark$4 or flag$4 or omit$4 or skip$5) near5 (already near4 tested) adj3 (state or condition or packet))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/22 19:09
S8	1	(@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303") and ((mark$4 or flag$4 or omit$4 or skip$5) near5 (previously near4 tested) adj3 (state or condition or packet))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/22 19:10
S9	96298	(@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303") and ((mark$4 or flag$4 or omit$4 or skip$5) near5 (state or condition or packet))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 17:28
S10	1193	(@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303") and ((omit$4 or skip$5) near5 (state or condition or packet)).ab.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/22 19:11

S11	42	(@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303") and ((omit$4 or skip$5) near5 (state or condition or packet) and test$5).ab.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/22 19:17
S12	6031	(@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303") and (test with packet)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/22 19:17
S13	79	(@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303") and (test$4 adj4 (packet near2 (class$3 or type or possibilit$4)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/22 19:22
S14	82	(@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303") and ((test$4 or validat$3) adj4 (packet near2 (class$3 or type or possibilit$4))) and (omit$4 or skip$4 or flag$3 or mark$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/22 20:15
S15	7	(@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303") and ((test$4 or validat$3) adj4 (packet near2 (class$3 or type or possibilit$4))) and (omit$4 or skip$4 or flag$3 or mark$4) and 370/241-253.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/22 20:21
S16	197	(@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303") and ((test$4 or validat$3) adj4 (packet)) and (omit$4 or skip$4 or flag$3 or mark$4) and 370/241-253.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/22 20:22
S17	40	(@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303") and ((test$4 or validat$3) adj4 (packet)) same (omit$4 or skip$4 or flag$3 or mark$4) and 370/241-253.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 10:18

EAST Search History

S18	335	(@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303") and ((reduc$4 or minimiz$4 or decreas$4) adj4 (test$4 near4 (combination$2 or possibilit$3)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 10:20
S19	4	(@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303") and ((reduc$4 or minimiz$4 or decreas$4) adj4 (test$4 near4 (combination$2 or possibilit$3))) and ("370" or "455" or "709").clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 10:22
S20	335	(@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303") and ((reduc$4 or minimiz$4 or decreas$4) adj4 (test$4 near4 (combination$2 or possibilit$3)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 10:22
S21	2	(@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303") and ((reduc$4 or minimiz$4 or decreas$4) adj4 (test$4 near4 (combination$2 or possibilit$3))) same (omit$4 or skip$5 or ("not" near3 tested))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 10:25
S22	2	(@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303") and ((reduc$4 or minimiz$4 or decreas$4) adj4 (test$4 near4 (combination$2 or possibilit$3))) same (omit$4 or skip$5 or ("not" near3 tested) or (leave adj2 out))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 10:26
S23	2	(@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303") and ((reduc$4 or minimiz$4 or decreas$4) adj4 (test$4 near4 (combination$2 or possibilit$3))) same (omit$4 or skip$5 or ("not" near3 tested) or (left adj2 out))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 10:26

S24	9	(@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303") and ((reduc$4 or minimiz$4 or decreas$4) adj4 (test$4 near4 (combination$2 or possibilit$3 or scenarios or case$2))) same (omit$4 or skip$5 or ("not" near3 tested) or (left adj2 out))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 10:40
S25	3	(@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303") and ((reduc$4 or minimiz$4 or decreas$4) adj4 (test$4 near4 (matrix or matrices)) same (omit$4 or skip$5 or ("not" near3 tested) or (left adj2 out)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 10:42
S26	3	(@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303") and ((reduc$4 or minimiz$4 or decreas$4) adj4 (test$4 near4 (matrix or matrices)) same (omit$4 or skip$5 or ("not" near3 tested) or (left adj2 out) or mark$3 of flag$4))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 10:48
S27	6	(@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303") and ((reduc$4 or minimiz$4 or decreas$4) adj4 ((test$4 or verif$7) near4 (matrix or matrices or case$2 or possibilit$4 or combination$2)) same (omit$4 or skip$5 or ("not" near3 (tested or verified)) or (left adj2 out) or mark$3 of flag$4))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 10:56
S28	17169	(@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303") and ((reduc$4 or minimiz$4 or decreas$4 or omit$4 or skip$5 or ((leave or left) adj3 out) or flag$4 or mark$3) near4 ((test$4 or verif$7 or redundan$3) near4 (matrix or matrices or case$2 or possibilit$4 or combination$2 or packet or test$3)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 11:00

S29	7832	(@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303") and ((reduc$4 or minimiz$4 or decreas$4 or omit$4 or skip$5 or ((leave or left) adj3 out) or flag$4 or mark$3) adj4 ((test$4 or verif$7 or redundan$3) near4 (matrix or matrices or case$2 or possibilit$4 or combination$2 or packet or test$3)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 11:01
S30	1348	(@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303") and ((reduc$4 or minimiz$4 or decreas$4 or omit$4 or skip$5 or ((leave or left) adj3 out) or flag$4 or mark$3) adj4 ((test$4 or verif$7 or redundan$3) near4 (matrix or matrices or case$2 or possibilit$4 or combination$2 or (test$3 adj2 packet))))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 12:20
S31	5	(@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303") and ((reduc$4 or minimiz$4 or decreas$4 or omit$4 or skip$5 or ((leave or left) adj3 out) or flag$4 or mark$3) adj4 ((test$4 or verif$7 or redundan$3) near4 (matrix or matrices or case$2 or possibilit$4 or combination$2 or (test$3 adj2 packet)))) and 370/241-253.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 11:05
S32	18	(@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303") and ((reduc$4 or minimiz$4 or decreas$4 or omit$4 or skip$5 or ((leave or left) adj3 out) or flag$4 or mark$3) adj4 ((test$4 or verif$7 or redundan$3) near4 (matrix or matrices or case$2 or possibilit$4 or combination$2 or (test$3 adj2 packet)))) and "370".clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 11:05

S33	37	(US-20030051043-$ or US-20010007561-$ or US-20010049742-$ or US-20020075875-$ or US-20030053464-$ or US-20040213276-$ or US-20060092836-$ or US-20020101820-$ or US-20040215813-$ or US-20030179777-$ or US-20040205215-$ or US-20050154833-$ or US-20020167955-$ or US-20030043742-$ or US-20040148391-$ or US-20050114451-$ or US-20060092845-$ or US-20060187835-$ or US-20060277330-$ or US-20070091802-$ or US-20050114541-$ or US-20050193097-$).did. or (US-6856981-$ or US-5590355-$ or US-6876659-$ or US-7106752-$ or US-7215678-$ or US-7027394-$ or US-6292868-$ or US-7016313-$ or US-5383177-$ or US-5252971-$ or US-5265092-$ or US-5629936-$ or US-H002051-$ or US-6490248-$ or US-7215639-$).did.	US-PGPUB; USPAT	ADJ	ON	2007/08/23 12:19
S34	4	("4730313" | "5027343" | "5142653" | "5228042").PN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/08/23 11:38
S35	1	S33 and (packet same generat$4 same flag same test$4)	US-PGPUB; USPAT	ADJ	ON	2007/08/23 12:01
S36	206	(@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303") and ((flag$4 or mark$4 or label$4 or not$4) near4 (already near4 (tested or verified or checked)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 12:28
S37	24	(@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303") and ((flag$4 or mark$4 or label$4 or not$4) near4 (already near4 (tested or verified or checked))) and packet	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 12:32

S38	0	(@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303") and (flag adj5 (cell$2 or frame$2 or PDU$2 or segment$2 or fragment$2 or datagram$2 or packet$2 or (data adj unit$2) or grain or message$2) with ("not" adj3 (forward$3 or rout$3 or transmit$4 or transmission or send$3 or sent)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 12:41
S39	0	(@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303") and (flag adj7 (cell$2 or frame$2 or PDU$2 or segment$2 or fragment$2 or datagram$2 or packet$2 or (data adj unit$2) or grain or message$2) with ("not" adj5 (forward$3 or rout$3 or transmit$4 or send$3 or sent or transfer$4)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 12:42
S40	0	(@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303") and (flag adj7 (cell$2 or frame$2 or PDU$2 or segment$2 or fragment$2 or datagram$2 or packet$2 or (data adj unit$2) or grain or message$2)) same ((cell$2 or frame$2 or PDU$2 or segment$2 or fragment$2 or datagram$2 or packet$2 or (data adj unit$2) or grain or message$2) near3 "not" adj5 (forward$3 or rout$3 or transmit$4 or send$3 or sent or transfer$4))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 12:45
S41	1010	(@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303") and (flag adj7 (cell$2 or frame$2 or PDU$2 or segment$2 or fragment$2 or datagram$2 or packet$2 or (data adj unit$2) or grain or message$2)) same ((cell$2 or frame$2 or PDU$2 or segment$2 or fragment$2 or datagram$2 or packet$2 or (data adj unit$2) or grain or message$2) near3 (discard$4 or drop$4))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 12:46

S42	881	(@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303") and (flag adj5 (cell$2 or frame$2 or PDU$2 or segment$2 or fragment$2 or datagram$2 or packet$2 or (data adj unit$2) or grain or message$2)) same ((cell$2 or frame$2 or PDU$2 or segment$2 or fragment$2 or datagram$2 or packet$2 or (data adj unit$2) or grain or message$2) near3 (discard$4 or drop$4))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 12:47
S43	415	(@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303") and (flag adj5 (packet)) same ((packet) near3 (discard$4 or drop$4))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 12:47